INSTRUCTION MANUAL



## Crystal TL 1 Transparant 104781

Crystal chargeable table light

Thank you for choosing crystal chargeable table light. This product is made of environmental protection materials, light, clear and simple, perfect for home use. We hope you will like it In order to install correctly, please use the product according to instruction. Then keep the product safely. If you have any idea or advise, please contact us via email without hesitate. Have a good day!



The first step:

The charge the lamp when take it out

Put the charge wire of USB charge into port at the bottom, then use the charger of 5V2A to charge the lamp

The indicator light becomes to blue when it is charging

The indicator light turn off when it is fully charged, Please unplug the USB wire

The second step

The touch switch is on the opposite of the charge port

Touch the switch gently to turn on the lamp, touch the switch gently again to turn off the lamp

The parts inside

1. 104781 lamp

2. Micro USB wire and adapter Input voltage 100-240W ?50/60Hz,0.3A output 5.0VDC 2.0A 10W

Safety instructions:

Use the soft wet sponge or pure cotton cloth to wipe the surface of lamp, then wipe it with dry cloth

Don't use any abrasive tools to clean, such as steel wools, hard brush and so on


Do not use powerful cleanser, such as thinner and so on

Attention:

Our company is not responsible for injury caused by misuse You must take out the battery before throw this lamp away You must cut off the power before take out the battery, and the battery should be handled safely.

FittinQ B.V. Smaragdweg 52, 5527 LB Hapert, The Netherlands

www.qazqa.nl



## SAFETY INSTRUCTION

Please study the instruction manual and below information carefully before installing or using this product. Please keep this user manual for further reference

- 1. The luminaires may only be installed by authorized and qualified technicians according the valid regulations for electrical installation.
- 2. Maintenance of the luminaires is limited to their surfaces. During maintenance no moisture can come into contact with any areas of the terminal connections or voltage control parts.
- 3. The electrical supply must be switched off at the outset, preferably by means of a switch in the distribution box, before any installation, maintenance or repair work is undertaken.
- 4. Exterior lighting must not be installed during rain.
- 5. Take account of the minimal separation distance from other objects and the room required around the fitting.
- 6. If in any doubt, consult a professional, taking local installation requirements into account. Some countries stipulate that lighting may be installed only by registered installers.
- 7. Clamping screws in electrical connections must be adequately tightened. This is particularly the case with 12V low voltage conductors.
- 8. When replacing a halogen lamp, wait for it to cool, for a minimum of 5 minutes.
- 9. Clean with a clean, dry cloth or brush, use no solvents or abrasives. Avoid dampness on all electrical components
- 10. Take account of all available technical information.
- 11. Take note of the symbols when connecting wires: 🕀 = Earth
- N = Neutral L =Live
- 12. Meaning of symbols:

	For indoor use only, where direct contact with water is impossible
IPXX	This icon indicates the level of water-proof and dust-proof
	Protection Class I: the fitting must be earthed
	Protection Class II: the fitting is doubled insulated and does not require earthing
	Protection Class III: the fitting is low voltage
	Minimum distance from lighted objects (meters)
	Only the self-shielded halogen lamp should be used with the luminaire
Smm Smm	Strip the wire to the indicated length (mm);different items require different length
3x min.0,75mm <sup>2</sup>	Connect using the specified cable; different items require different cables
Max.ø50mm GU10 2Max.50W	The type of lamp and maximum size and wattage indicated in each lighting unit must not be exceed; different items require different kind of light sources with different bulb icons
220-240V~ 50Hz	The armature is designed to work only with the indicated voltage. Different items require different working voltage.
	The luminaire can be used in combination with a dimmer
Light Angle	The reference light angle and light space of the luminaire
	This luminaire cannot be disposed together with normal domestic waste in standard rubbish can, but you have to bring it to a staging area for electrical waste



