Please note the information contained in these instructions and save these manual

TECHNICAL DATA:


HOLDER OUTPUT:- MAX 60 W E27 220-240 V

INSTRUCTIONS FOR USE:-


- 1- THE Lamp is for ceiling purpose only.
- The 3 core wire is used, highly protected and safe.
- The connector with junction box is fixed in the ceiling cup for safety purpose.
- The lamp is with chain and hook for hanging.
- Complete fitting is as per CE European slandered.
- The hanging chain is 1 mtr.
- The lamp finish reflects the interior decoration colors.
- The lamp is completely assembled, there is no need to change any fitting,
- The product parts manual is inserted just for the acknowledgement.


WARNING:-

- Do not put the lamps near the flammable or any explosive product.
- Do not open under the pane by oneself.
- Keep the product clean and clear for good lighting function.
- If the item not works so smoothly please check the bulb holder inside the lamp shade or you can change the bulb only.
- This lamp is only for indoor use.
- The external flexible cable of the lamp can not be replaced, if the cable is damaged, the lamp wiring can be change by professional electrician only.
- Keep away from the reach of children.
- Please keep product untouched and unshakable, it should not be waving while hanging.












DESC.: Raw HL I Chrome







THE MANUAL OF LAMP PARTS










Glass will be insert into the below ring.

16. The aluminium glass ring will be place by the below of shade lower ring. Now the aluminium glass ring is with iron net. 17. 18. Its the aluminium shade for the fixing the parts. 20. Now the aluminium screw fixing part will be placed inside the ring rod which is coming out from the flower grip. this screw fixing part is very important because it make the handle and shade combine. 19. Now the shade & upper cap is together.

MANUAL WITH INSTALLATION DESCRIPTION OF LAMP PARTS



The aluminium flower gap will be get across from the aluminium handle side hole.