

INSTRUCTION MANUAL



Sheldon TL Black Rechargeable Solar 107794




Dimming rang/lumen/battery life				Full charging time		
10%	40%	100%		by USB-C		by Solar
201m 40hrs	801m 10hrs	2001m 4hrs	ı	5hrs		12hrs sunny day
Life	Cycle			Specific	cat	ion
Life Battery	Cycle Solar panel	Charging cable	E	Specific Battery		ion Solar panel


FittinQ LTD 55 Baker Street, London, W1U 7EU United Kingdom



Sheldon TL Black Rechargeable Solar 107794

WIDDE WIDE WI	Solar Camping incl.LED QL700 3-steps dimmab Rechargeable 1.4W module 2 1.5W lamp 150 Charging 5V 1, 3000K CRI > 80 30000h 15000 ON/C	01298 ole 2001m 01m A
(DE) Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E	QR	EAN
 (EN) This product contains a light source of energy efficiency class E (FR) Ce produit comprend une source de lumière de classe d'efficience énergétique E (NL) Dit product bevat een lichtbron van energie-efficiëntieklasse E (PL) Produkt ten zawiera źródło światła o klasie efektywności energetycznej E (NO) Dette produktet inneholder en lyskilde i energieffektivitetsklasse E (DK) Dette produkt indeholder en lyskilde af energieffektiklasse E (SE) Denna produkt innehåller en lyskilde af energieffektivitetsklasse E (FI) Tämä tuote sisältää energiatehokkuusluokan E valonlähteen (IT) Questo prodotto contiene una sorgente luminosa della classe di efficienza energetica E (ES) Este producto contiene una fuente de luz de la clase de eficiencia energética E (CZ) Tento výrobek obsahuje světelný zdroj třídy energetické účinnosti E (PT) Este produto contém uma fonte de luz da classe de eficiência energética E (GR) Aυτό το προϊόν περιέχει μια φωτεινή πηγή ενεργειακής απόδοσης κλάσης E (SK) Tento výrobok obsahuje zdroj svetla triedy energetickej efektivity E 		8718881161711





FittinQ B.V. Smaragdweg 52, 5527 LB Hapert, The Netherlands www.qazqa.nl **FittinQ LTD** 55 Baker Street, London, W1U 7EU United Kingdom




SAFETY INSTRUCTION

Please study the instruction manual and below information carefully before installing or using this product. Please keep this user manual for further reference

- 1. The luminaires may only be installed by authorized and qualified technicians according the valid regulations for electrical installation.
- 2. Maintenance of the luminaires is limited to their surfaces. During maintenance no moisture can come into contact with any areas of the terminal connections or voltage control parts.
- The electrical supply must be switched off at the outset, preferably by means of a switch in the distribution 3 box, before any installation, maintenance or repair work is undertaken.
- Exterior lighting must not be installed during rain. 4
- Take account of the minimal separation distance from other objects and the room required around the fitting. 5.
- 6. If in any doubt, consult a professional, taking local installation requirements into account. Some countries stipulate that lighting may be installed only by registered installers.
- 7. Clamping screws in electrical connections must be adequately tightened. This is particularly the case with 12V low voltage conductors.
- 8. Clean with a clean, dry cloth or brush, use no solvents or abrasives. Avoid dampness on all electrical components
- 9 Take account of all available technical information.
- 10. Meaning of symbols: This icon indicates the level of water-proof and dust-proof PXX E Protection Class I: the fitting must be earthed Protection Class II: the fitting is doubled insulated and does not require earthing ΞŪ Protection Class III: the fitting is low voltage Minimum distance from lighted objects (meters) The type of lamp and maximum size and wattage indicated in each lighting unit must not be exceed; different items require different kind of light sources with different bulb icons The armature is designed to work only with the indicated voltage. Different items require 220-240V 50Hz different working voltage. The luminaire can be used in combination with a dimmer The luminaire can be dimmed by wall switch The reference light angle and light space of the luminaire R R.

This luminaire cannot be disposed together with normal domestic waste in standard rubbish can, but you have to bring it to a staging area for electrical waste

11. Take note of the symbols when connecting wires:



FittinQ B.V. Smaragdweg 52, 5527 LB Hapert, The Netherlands www.gazga.n

FittinQ LTD 55 Baker Street, London, W1U 7EU United Kingdom

